Table 1 provides a summary of the EPA monitoring points for the Rangers Valley Feedlot. This table has been reproduced from Section 2 of Environmental Protection Licence No. 3864. Click on the EPA number to view the monitoring results collected (if available).

**Table 1: Summary of EPA Monitoring Points** 

EPA No.	Type of monitoring point	Type of discharge point	Description of location
EPA Monitoring Point 2	Surface water quality monitoring		Surface water monitoring point (S2) at Cam Creek causeway on Deepwater Road at "Nant Park" labelled as EPA Point 2 on map titled Environmental Monitoring Points - Location of Surface Water Monitoring points dated 1 <sup>st</sup> May 2007. See Fig 1 - 250832A1/10.
EPA Monitoring Point 3	Surface water quality monitoring		Surface water monitoring point (S3) at grassed waterway in Old 2 paddock labelled as EPA Point 3 on map titled Environmental Monitoring Points - Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.
EPA Monitoring Point 4	Surface water quality monitoring		Surface water monitoring point (S4) at Cam Creek bridge on Rangers Valley Road labelled as EPA Point 4 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.
EPA Monitoring Point 5	Surface water quality monitoring		Surface water monitoring point (S5) at Severn River Bridge on the Yarraford Road labelled as EPA Point 5 on map titled Environmental Monitoring Points - Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.
EPA Monitoring Point 6 Surface water quality monitoring Bring Point 6 Bring Point 6 Po		Surface water monitoring point (S6) at Severn River Bridge on the Emmaville Road labelled as EPA Point 6 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.	

EPA No.	Type of monitoring point	Type of discharge point	Description of location
EPA Monitoring Point 7	Surface water quality monitoring		Surface water monitoring point (S7) at Beardy Waters causeway on the Haul Rd (2 <sup>nd</sup> causeway) - upstream of confluence with Severn River, labelled as EPA Point 7 on map titled Env MP -Location of Surface Water MP dated 1st May 2007. (Fig 1).
EPA Monitoring Point 8	Surface water quality monitoring		Surface water monitoring point (S8) at Severn River causeway on the Haul Road (first causeway) labelled as EPA Point 8 on map titled Environmental Monitoring Points - Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.
10	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal pond and spillway servicing Pivot 3A and 3B including pump labelled as EPA Point 10 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2 250832A1/10.
EPA Monitoring Point 11	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Final effluent holding pond (on eastern side of the feedlot, known as E2) including spillway and irrigation pumps labelled as EPA Point 11 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2. 250832A1/10.
13	Wet weather discharge. Discharge quality monitoring.	Wet weather discharge. Discharge quality monitoring	Spillway for effluent holding pond known as W2 (on western side of feedlot) labelled as EPA Point 13 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2 250832A1/10.
14	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal pond and spillway servicing Pivot 1 and located in the paddock Bottom Swamp including pump labelled as EPA Point 14 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. see Fig 2 250832A1/10.

EPA No.	Type of monitoring point	Type of discharge point	Description of location
EPA Monitoring Point 20	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent holding pond (on western side of feedlot, known as W4) including spillway and irrigation pump labelled as EPA Point 20 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. see Fig 2 250832A1/10.
22	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal pond and spillway servicing Rye East and Rye West known as W5 including pump labelled as EPA Point 22 on map titled Env MPs-Location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2 250832A1/10.
EPA Monitoring Point 24	Manure quality monitoring. Mass monitoring.		Manure stockpile and composting area containing screened and unscreened manure and labelled as EPA Point 24 on map titled Env MPs-Location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2 250832A1/10.
EPA Monitoring Point 26	Discharge quality monitoring.		Dam located in the bottom corner of "Washpool Road" (13) paddock labelled as EPA Point 26 on map titled Env MPs-Location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2 250832A1/10.
EPA Monitoring Point 27	Soil quality monitoring. Mass monitoring.		Effluent utilisation area known as Pivot 1 labelled as EPA Point 27 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.
EPA Monitoring Point 28	Soil quality monitoring. Mass monitoring.		Effluent utilisation area known as Pivot 3A labelled as EPA Point 28 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.
EPA Monitoring Point 29	Soil quality monitoring. Mass monitoring.		Effluent utilisation area known as Pivot 3B labelled as EPA Point 29 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.
EPA Monitoring Point 30	Soil quality monitoring. Mass monitoring.		Effluent utilisation area known as Rye East labelled as EPA Point 30 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

EPA No.	Type of monitoring point	Type of discharge point	Description of location		
EPA Monitoring Point 31	Soil quality monitoring. Mass monitoring.		Effluent utilisation area known as Rye West labelled as EPA Point 31 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.		
EPA Monitoring Point 34	Groundwater quality monitoring.	Groundwater monitoring bore (34 located in corne paddock) labelled as EPA Point 34 on map titled Env MP-Location of piezometer MP dated 1 <sup>st</sup> May 2007, see Fig 3			
EPA Monitoring Point 35	Groundwater quality monitoring.		Groundwater monitoring bore (35 located in the laneway north of Rye East paddock) labelled as EPA Point 35 on map titled Env MP-Location of piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3		
EPA Monitoring Point 36	Groundwater quality monitoring.		Groundwater monitoring bore (36 located between ponds W3 and W4) labelled as EPA Point 36 on map titled Env MP-Location of piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3		
EPA Monitoring Point 38	Groundwater quality monitoring.		Groundwater monitoring bore (38 located on eastern point of effluent pond E2) labelled as EPA Point 38 on map titled Env MP-Location of piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3		
EPA Monitoring Point 40	Groundwater quality monitoring.		Groundwater monitoring bore (40 located on adjoining fence line between Pivot 3A/3B) on map titled Env MP-Location of piezometer MP dated 1st May 2007. see Fig 3		
EPA Monitoring Point 41	Groundwater quality monitoring.		Groundwater monitoring bore (41 below EPA point 14 in paddock Bottom Swamp) labelled as EPA Point 41 on map titled Env MPLocation of piezometer MP dated 1st May 2007. see Fig 3		
EPA Monitoring Point 42	Groundwater quality monitoring.		Groundwater monitoring bore (42 located i laneway between Pivot 1 and effluent pond E2 labelled as EPA Point 42 on map titled Env MF Location of piezometer MP dated 1 <sup>st</sup> May 2007. se Fig 3		

EPA No.	Type of monitoring point	Type of discharge point	Description of location
EPA Monitoring Point 43	Soil quality monitoring. Mass monitoring		Utilisation area identified as the 'solid utilisation areas as identified on drawing No 19045-05 as quoted in the consent conditions' on map titled "Map 1 - Rangers Valley Cattle Station" submitted with a letter to the EPA on 25 October 2006.
EPA Monitoring Point 44	Groundwater quality monitoring.		Groundwater monitoring bore (44 located in the north eastern grassed area of the paddock known as Old 2) labelled as EPA point 44 on map titled Env MP-Location of Peizometer MP dated 1 <sup>st</sup> May 2007. see Fig 3. 250832A1/10.
EPA Monitoring Point 45	Groundwater quality monitoring.		Groundwater monitoring bore (45 located on eastern boundary of the paddock known as "Donnellys Elect" labelled as EPA point 45 on map Titled Env MP location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3
EPA Monitoring Point 46	Groundwater quality monitoring.		Groundwater monitoring bore (46 located in paddock known as "Oaks Road") labelled as EPA point 46 on map Titled Env MP-location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3
EPA Monitoring Point 47	Groundwater quality monitoring.		Groundwater monitoring bore (47 located in paddock known as Horse" labelled as EPA point 47 on map Titled Env MP-location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3
48	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal Pond One and spillway servicing Pivot 2c located in the paddock known as Spillway including pump labelled as EPA Point 48 on map Titled Environmental Monitoring Points-location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2

EPA No.	Type of monitoring point	Type of discharge point	Description of location	
49	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal Pond Two and spillway servicing Pivot 2B and located in paddock known as Pivot 2B including pump labelled as EPA Point 49 on map Titled Env MP-location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2	
50	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Effluent quality and volume monitoring. Wet weather discharge. Discharge quality monitoring. Discharge to utilisation area.	Terminal Pond 3 and spillway servicing Pivot 2 and 2C located in the paddock known as "wally including pump labelled as EPA Point 50 on m Titled Env MP-location of Effluent MP dated 1 <sup>st</sup> M 2007. Fig 2	
EPA Monitoring Point 51	Soil quality monitoring. Mass monitoring		Effluent utilisation area known as Pivot 2B labelled as EPA Pont 51 on map titled "Rangers Valley Cattle Station" Site Plan date 30.07.03	
EPA Monitoring Point 52	Soil quality monitoring. Mass monitoring		Effluent utilisation known as Pivot 2C labelled as EPA Point 52 on map titled "Rangers Valley Cattle Station Site Plan date 30.07.03	
EPA Monitoring Point 53	Groundwater quality monitoring.		Groundwater monitoring bore (53 located west of Terminal Pond 1 in the paddock known as spillway) labelled as EPA point 53 on map Titled Env MP-location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3	
EPA Monitoring Point 54	Groundwater quality monitoring.		Groundwater monitoring bore (54 located north of Terminal Pond Two in the paddock known as Pivot 2b) labelled as EPA point 54 on map Titled Env MP location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3	
EPA Monitoring Point 55	Groundwater quality monitoring.		Groundwater monitoring bore (55 located south of Terminal Pond Three in the paddock known as Wallys) labelled as EPA point 55 on map Titled Env MP-location of Piezometer MP dated 1 <sup>st</sup> May 2007. see Fig 3	

EPA No.	Type of monitoring point	Type of discharge point	Description of location	
EPA Monitoring Point 56	Groundwater quality monitoring.		Groundwater monitoring bore (56 located south of the northern holding pond N1 in the paddock known as Irrigation 1) labelled as EPA point 56 on map titled Env MP dated 1 <sup>st</sup> May 2007. see Fig 3. 250832A1/10	
EPA Monitoring Point 57	Effluent Quality and Volume monitoring. Discharge to utilisation area.		Effluent holding pond (known as N1) irrigation pump labelled as EPA point 57 on map titled Env MP-Location of Effluent MP dated 1 <sup>st</sup> May 2007. see Fig 2. 250832A1/10.	

Surface water monitoring point (S2) at Cam Creek causeway on Deepwater Road at "Nant Park" labelled as EPA Point 2 on map titled Environmental Monitoring Points - Location of Surface Water Monitoring points dated 1<sup>st</sup> May 2007. See Fig 1 - 250832A1/10.

### SURFACE WATER ANALYSIS RESULTS (EPA POINT 2)

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L		58	43	26
Nitrate	mg/L		<1.0	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L		1	2	2
pH	-		8.00	7.90	7.70
Conductivity	μS/cm		620	520	360
SAR	-		2	1	1
Phosphorus (Reactive)	mg/L	DRY	<0.1	<0.1	0.1
Nitrogen (Total)	mg/L		1	2	2
Suspended Solids	mg/L		<10	<10	51
Calcium	mg/L		37	33	24
Potassium	mg/L		7	6	4
Magnesium	mg/L		24	21	16
Sodium	mg/L		60	43	32
Phosphorus (Total)	mg/L		<1	<1	<1
Nitrogen (Ammonia)	mg/L		<0.1	<0.1	<0.1

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S3) at grassed waterway in Old 2 paddock labelled as EPA Point 3 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.

### SURFACE WATER ANALYSIS RESULTS (EPA POINT 3)

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L		31	31	43
Nitrate	mg/L		4.4	1.3	<1.0
Total Kjeldahl Nitrogen	mg/L		17	7	12
pН	-		7.60	7.70	7.60
Conductivity	μS/cm		470	350	600
SAR	-		<1	<1	<1
Phosphorus (Reactive)	mg/L	DRY	6.9	4.2	2.3
Nitrogen (Total)	mg/L		19	7	12
Suspended Solids	mg/L		600	16	220
Calcium	mg/L		19	13	26
Potassium	mg/L		72	56	100
Magnesium	mg/L		12	8	17
Sodium	mg/L		19	11	16
Phosphorus (Total)	mg/L		13	6	8
Nitrogen (Ammonia)	mg/L	# -	2.3	1.9	<0.5

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S4) at Cam Creek bridge on Rangers Valley Road labelled as EPA Point 4 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.

### SURFACE WATER ANALYSIS RESULTS (EPA POINT 4)

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L		140	130	130
Nitrate	mg/L		<1.0	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L		2	2	5
рН	-		8.00	8.00	7.90
Conductivity	μS/cm		1000	1000	1100
SAR	-		2	2	3
Phosphorus (Reactive)	mg/L	DRY	1.1	1.2	1.4
Nitrogen (Total)	mg/L		2	2	5
Suspended Solids	mg/L		<10	<10	54
Calcium	mg/L		54	56	50
Potassium	mg/L		26	18	21
Magnesium	mg/L		35	38	39
Sodium	mg/L		92	94	110
Phosphorus (Total)	mg/L	_	1	2	2
Nitrogen (Ammonia)	mg/L		<0.1	<0.1	0.6

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S5) at Severn River Bridge on the Yarraford Road labelled as EPA Point 5 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.

### SURFACE WATER ANALYSIS RESULTS (EPA POINT 5)

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L	22	18	18	14
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L	<1	<1	1	1
pН	-	8.10	7.90	7.70	7.60
Conductivity	μS/cm	230	160	160	130
SAR	-	1	1	1	1
Phosphorus (Reactive)	mg/L	<0.1	<0.1	<0.1	<0.1
Nitrogen (Total)	mg/L	<1	<1	1	1
Suspended Solids	mg/L	<10	<10	<10	<10
Calcium	mg/L	12	7	7	5
Potassium	mg/L	4	3	3	3
Magnesium	mg/L	8	5	4	4
Sodium	mg/L	23	19	17	14
Phosphorus (Total)	mg/L	<1	<1	<1	<1
Nitrogen (Ammonia)	mg/L	<1	<0.1	<0.1	<0.1

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S6) at Severn River Bridge on the Emmaville Road labelled as EPA Point 6 on map titled Environmental Monitoring Points -Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.

### SURFACE WATER ANALYSIS RESULTS (EPA POINT 6)

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L	25	17	13	10
Nitrate	mg/L	<1.0	<0.1	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L	<1	1	1	1
pН	-	8.10	8.20	8.00	8.20
Conductivity	μS/cm	370	260	230	210
SAR	-	<1	<1	<1	<1
Phosphorus (Reactive)	mg/L	<0.1	<0.1	<0.1	<0.1
Nitrogen (Total)	mg/L	<1	1	1	1
Suspended Solids	mg/L	<10	<10	<10	<10
Calcium	mg/L	24	19	16	15
Potassium	mg/L	5	4	4	3
Magnesium	mg/L	19	14	12	11
Sodium	mg/L	23	17	13	12
Phosphorus (Total)	mg/L	<1	<1	<1	<1
Nitrogen (Ammonia)	mg/L	<1	<0.1	<0.1	<0.1

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S7) at Beardy Waters causeway on the Haul Rd (2<sup>nd</sup> causeway) - upstream of confluence with Severn River, labelled as EPA Point 7 on map titled Env MP -Location of Surface Water MP dated 1st May 2007. See Fig 1.

### **SURFACE WATER ANALYSIS RESULTS (EPA POINT 7)**

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L	13	16	10	8.0
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L	<1	<1	1	<1
pН	-	8.20	8.50	8.20	8.50
Conductivity	μS/cm	340	340	240	260
SAR	-	<1	<1	<1	<1
Phosphorus (Reactive)	mg/L	<0.1	<0.1	<0.1	<0.1
Nitrogen (Total)	mg/L	<1	<1	1	<1
Suspended Solids	mg/L	<10	<10	<10	<10
Calcium	mg/L	24	25	19	21
Potassium	mg/L	4	3	3	3
Magnesium	mg/L	21	21	15	17
Sodium	mg/L	16	18	11	9
Phosphorus (Total)	mg/L	<1	<1	<1	<1
Nitrogen (Ammonia)	mg/L	<1	<0.1	<0.1	<0.1

<sup>\*</sup> Collected during pond overflow event.

Surface water monitoring point (S8) at Severn River causeway on the Haul Road (first causeway) labelled as EPA Point 8 on map titled Environmental Monitoring Points - Location of Surface Water MP dated 1st May 2007. See Fig 1 - 250832A1/10.

### **SURFACE WATER ANALYSIS RESULTS (EPA POINT 8)**

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Chloride	mg/L	16	17	12	9
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Total Kjeldahl Nitrogen	mg/L	<1	<1	1	<1
рН	-	8.30	8.50	8.20	8.20
Conductivity	μS/cm	310	310	230	220
SAR	-	<1	<1	<1	<1
Phosphorus (Reactive)	mg/L	<0.1	<0.1	<0.1	<0.1
Nitrogen (Total)	mg/L	<1	<1	1	<1
Suspended Solids	mg/L	<10	<10	10	<10
Calcium	mg/L	22	22	17	17
Potassium	mg/L	4	3	3	3
Magnesium	mg/L	18	18	13	13
Sodium	mg/L	18	19	12	10
Phosphorus (Total)	mg/L	<1	<1	<1	<1
Nitrogen (Ammonia)	mg/L	<1	<0.1	<0.1	<0.1

<sup>\*</sup> Collected during pond overflow event.

Final effluent holding pond (on eastern side of the feedlot, known as E2) including spillway and irrigation pumps labelled as EPA Point 11 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2 - 250832A1/10.

### **EFFLUENT ANALYSIS RESULTS (EPA POINT 11)**

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (Ammonia)	mg/L	19	31	70	41
Chloride	mg/L	1000	240	160	180
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Phosphorus (Reactive)	mg/L	38	27	32	21
pH	•	8.20	7.00	6.70	7.90
Conductivity	μS/cm	8600	2100	2100	2200
SAR	•	5	2	1	1
Phosphorus (Total)	mg/L	80	34	35	27
Nitrogen (Total)	mg/L	75	62	95	89
TKN	mg/L	75	62	95	89
Suspended Solids	mg/L	850	200	150	240
Calcium	mg/L	70	62	73	63
Potassium	mg/L	1200	320	210	280
Magnesium	mg/L	140	49	46	49
Sodium	mg/L	300	81	62	63

<sup>\*</sup> Collected during pond overflow event.

Effluent holding pond (on western side of feedlot, known as W4) including spillway and irrigation pump labelled as EPA Point 20 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2 - 250832A1/10.

### **EFFLUENT ANALYSIS RESULTS (EPA POINT 20)**

Sampled		2-Mar-15	15-Jun-15	15-Sept-15	8-Dec-15
Obtained		12-Apr-15	29-Jun-15	12-Oct-15	23-Dec-15
Published		12-Apr-15	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (Ammonia)	mg/L	2	<0.1	0.7	<0.1
Chloride	mg/L	240	71	160	100
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Phosphorus (Reactive)	mg/L	15	12	6.2	6.1
pН	-	8.00	8.00	9.30	8.70
Conductivity	μS/cm	1800	640	1100	710
SAR	-	2	<1	2	2
Phosphorus (Total)	mg/L	25	14	13	10
Nitrogen (Total)	mg/L	16	7	8	7
TKN	mg/L	15	7	8	7
Suspended Solids	mg/L	140	49	33	68
Calcium	mg/L	50	25	21	12
Potassium	mg/L	330	110	160	110
Magnesium	mg/L	35	14	21	14
Sodium	mg/L	82	23	56	37

<sup>\*</sup> Collected during pond overflow event.

Manure stockpile and composting area containing screened and unscreened manure and labelled as EPA Point 24 on map titled Env MPs-Location of Effluent MP dated 1<sup>st</sup> May 2007. See Fig 2 250832A1/10.

### MANURE ANALYSIS RESULTS (EPA POINT 24)

Sampled		15-Jun-15	15-Jun-15	15-Sept-15	15-Sept-15
Obtained		14-Jul-15	14-Jul-15	12-Oct-15	12-Oct-15
Published		15-Jul-15	15-Jul-15	20-Oct-15	20-Oct-15
Pollutant	Unit of	Unscreened	Screened	Unscreened	Screened
Pollutant	measure	Result	Result	Result	Result
Moisture	%	50.3	23.4	28.6	29.5
Nitrate	mg/kg	<200	<200	<200	<200
Nitrogen (Total)	mg/kg	2.5	1.5	18600	17800
рН	ı	8.67	8.91	6.84	8.04
Calcium	mg/kg	20000	21000	20000	20000
Phosphorus (Total)	mg/kg	9700	8300	6400	8600
Organic Carbon	%	42.5	23.6	32.4	24.3
Potassium	mg/kg	24000	19000	19000	20000
Magnesium	mg/kg	270	340	7700	7000
Sodium	mg/kg	3100	3000	2800	3300
Conductivity	μS/cm	3910	4000	6330	4090
SAR	-	6	6	4	5
Sulphur	mg/kg	4900	4700	4600	4400
Chloride	mg/kg	9700	5800	8660	8670
Zinc	mg/kg	230	250	200	240

Dam located in the bottom corner of "Washpool Road" (13) paddock labelled as EPA Point 26 on map titled Env MPs-Location of Effluent MP dated 1st May 2007. See Fig 2 - 250832A1/10.

## **EFFLUENT ANALYSIS RESULTS (EPA POINT 26)**

Sampled		18-Mar-14	16-Sept-14	2-Mar-15	15-Sept-15
Obtained		16-Apr-14	24-Oct-14	12-Apr-15	12-Oct-15
Published		14-May-14	27-Oct-14	12-Apr-15	20-Oct-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (Ammonia)	mg/L	170	0.6	<1	0.8
Chloride	mg/L	560	340	110	43
Nitrate	mg/L	<1.0	<1.0	<1.0	<1.0
Phosphorus (Reactive)	mg/L	2.6	1.3	5.9	4.9
pН	-	8.03	8.35	8.10	7.50
Conductivity	μS/cm	2620	1580	740	360
SAR	-	5	3	2	1
Phosphorus (Total)	mg/L	3	2	9	7
Nitrogen (Total)	mg/L	11	35	11	6
TKN	mg/L	11	35	11	6
Suspended Solids	mg/L	76	52	170	36
Calcium	mg/L	46	30	22	10
Potassium	mg/L	452	237	130	54
Magnesium	mg/L	51	31	17	8
Sodium	mg/L	210	110	40	18

<sup>\*</sup>Collected during pond overflow event.

Effluent utilisation area known as Pivot 1 labelled as EPA Point 27 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

SOIL ANALYSIS RESULTS (EPA POINT 27 - PIVOT 1)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	7.69	8.97
Nitrogen (Total)	mg/kg	Dumas (Leco)	973	-
Nitrogen (Nitrate)	mg/kg	7B1	19	12
Phosphorous (Colwell)	mg/kg	9B1	234	19
Organic Carbon	%	6A1	1.9	0.4
Conductivity	μS/cm	3A1	0.13	0.12
Chloride	mg/kg	5A1	13	25
Cation Exchange Capacity	cmol(+)/kg	15D3	8.51	6.23
Exchangeable Sodium	cmol(+)/kg	15D3	0.16	0.45
Exchangeable Potassium	cmol(+)/kg	15D3	0.74	1.34
Exchangeable Calcium	cmol(+)/kg	15D3	5.75	2.44
Exchangeable Magnesium	cmol(+)/kg	15D3	1.86	1.99
Exchangeable Sodium Percentage	%	15D3	1.9	7.2
Phosphorus Sorption Capacity	mg/kg	9I1 and 9J1	-1	52
Aggregate Stability (Emerson)	EAT	-	2(1)	2(2)

Effluent utilisation area known as Pivot 3A labelled as EPA Point 28 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

SOIL ANALYSIS RESULTS (EPA POINT 28 - PIVOT 3A)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	5.23	7.03
Nitrogen (Total)	mg/kg	Dumas (Leco)	1280	-
Nitrogen (Nitrate)	mg/kg	7B1	57	19
Phosphorous (Colwell)	mg/kg	9B1	47	9
Organic Carbon	%	6A1	2.5	0.7
Conductivity	μS/cm	3A1	0.17	0.16
Chloride	mg/kg	5A1	47	27
Cation Exchange Capacity	cmol(+)/kg	15D3	5.21	19.3
Exchangeable Sodium	cmol(+)/kg	15D3	0.20	1.13
Exchangeable Potassium	cmol(+)/kg	15D3	0.58	0.33
Exchangeable Calcium	cmol(+)/kg	15D3	3.39	11.7
Exchangeable Magnesium	cmol(+)/kg	15D3	0.95	6.17
Exchangeable Sodium Percentage	%	15D3	3.9	5.9
Phosphorus Sorption Capacity	mg/kg	9l1 and 9J1	63	160
Aggregate Stability (Emerson)	EAT	-	3(2)	2(1)

Effluent utilisation area known as Pivot 3B labelled as EPA Point 29 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

SOIL ANALYSIS RESULTS (EPA POINT 29 - PIVOT 3B)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	7.36	7.38
Nitrogen (Total)	mg/kg	Dumas (Leco)	1110	-
Nitrogen (Nitrate)	mg/kg	7B1	17	5
Phosphorous (Colwell)	mg/kg	9B1	77	2
Organic Carbon	%	6A1	2.0	0.9
Conductivity	μS/cm	3A1	0.10	0.12
Chloride	mg/kg	5A1	11	67
Cation Exchange Capacity	cmol(+)/kg	15D3	6.76	17.5
Exchangeable Sodium	cmol(+)/kg	15D3	0.23	0.90
Exchangeable Potassium	cmol(+)/kg	15D3	1.18	0.40
Exchangeable Calcium	cmol(+)/kg	15D3	3.64	10.5
Exchangeable Magnesium	cmol(+)/kg	15D3	1.72	5.73
Exchangeable Sodium Percentage	%	15D3	3.4	5.1
Phosphorus Sorption Capacity	mg/kg	9I1 and 9J1	24	160
Aggregate Stability (Emerson)	EAT	-	2(2)	2(1)

Effluent utilisation area known as Rye East labelled as EPA Point 30 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

SOIL ANALYSIS RESULTS (EPA POINT 30 - RYE EAST)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	7.54	7.65
Nitrogen (Total)	mg/kg	Dumas (Leco)	1300	-
Nitrogen (Nitrate)	mg/kg	7B1	6	1
Phosphorous (Colwell)	mg/kg	9B1	87	2
Organic Carbon	%	6A1	2.6	0.9
Conductivity	μS/cm	3A1	0.10	0.21
Chloride	mg/kg	5A1	19	178
Cation Exchange Capacity	cmol(+)/kg	15D3	7.63	20.5
Exchangeable Sodium	cmol(+)/kg	15D3	0.19	1.10
Exchangeable Potassium	cmol(+)/kg	15D3	1.73	0.46
Exchangeable Calcium	cmol(+)/kg	15D3	3.95	12.5
Exchangeable Magnesium	cmol(+)/kg	15D3	1.76	6.48
Exchangeable Sodium Percentage	%	15D3	2.5	5.4
Phosphorus Sorption Capacity	mg/kg	9l1 and 9J1	18	159
Aggregate Stability (Emerson)	EAT	-	3(3)	2(1)

Effluent utilisation area known as Rye West labelled as EPA Point 31 on map titled "Rangers Valley Cattle Station Site Plan" dated 30.07.03.

SOIL ANALYSIS RESULTS (EPA POINT 31 - RYE WEST)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	7.27	6.98
Nitrogen (Total)	mg/kg	Dumas (Leco)	1060	-
Nitrogen (Nitrate)	mg/kg	7B1	2	-1
Phosphorous (Colwell)	mg/kg	9B1	124	2
Organic Carbon	%	6A1	1.8	0.6
Conductivity	μS/cm	3A1	0.07	0.14
Chloride	mg/kg	5A1	6	110
Cation Exchange Capacity	cmol(+)/kg	15D3	5.53	16.1
Exchangeable Sodium	cmol(+)/kg	15D3	0.13	0.70
Exchangeable Potassium	cmol(+)/kg	15D3	1.15	0.27
Exchangeable Calcium	cmol(+)/kg	15D3	3.00	11.2
Exchangeable Magnesium	cmol(+)/kg	15D3	1.26	3.93
Exchangeable Sodium Percentage	%	15D3	2.3	4.3
Phosphorus Sorption Capacity	mg/kg	9l1 and 9J1	26	162
Aggregate Stability (Emerson)	EAT	-	3(3)	5

## SOIL ANALYSIS RESULTS (EPA POINT 51 - PIVOT 2B)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
raiailletei	Offic	Reference	0-30cm	60- 90cm
рН	-	4A1	7.66	7.05
Nitrogen (Total)	mg/kg	Dumas (Leco)	1040	-
Nitrogen (Nitrate)	mg/kg	7B1	8	13
Phosphorous (Colwell)	mg/kg	9B1	151	9
Organic Carbon	%	6A1	1.9	0.8
Conductivity	μS/cm	3A1	0.14	0.19
Chloride	mg/kg	5A1	39	140
Cation Exchange Capacity	cmol(+)/kg	15D3	7.73	12.2
Exchangeable Sodium	cmol(+)/kg	15D3	0.28	0.53
Exchangeable Potassium	cmol(+)/kg	15D3	1.82	0.48
Exchangeable Calcium	cmol(+)/kg	15D3	3.85	8.08
Exchangeable Magnesium	cmol(+)/kg	15D3	1.79	3.09
Exchangeable Sodium Percentage	%	15D3	3.6	4.4
Phosphorus Sorption Capacity	mg/kg	9l1 and 9J1	9	153
Aggregate Stability (Emerson)	EAT	-	2(1)	5

# SOIL ANALYSIS RESULTS (EPA POINT 52 - PIVOT 2C)

Parameter	Unit	Rayment & Higginson	Annual Return 2014 - 2015	
		Reference	0-30cm	60-90cm
рН	-	4A1	7.00	7.46
Nitrogen (Total)	mg/kg	Dumas (Leco)	1260	-
Nitrogen (Nitrate)	mg/kg	7B1	6	2
Phosphorous (Colwell)	mg/kg	9B1	97	2
Organic Carbon	%	6A1	2.6	0.8
Conductivity	μS/cm	3A1	0.08	0.16
Chloride	mg/kg	5A1	19	139
Cation Exchange Capacity	cmol(+)/kg	15D3	8.45	20.3
Exchangeable Sodium	cmol(+)/kg	15D3	0.25	1.11
Exchangeable Potassium	cmol(+)/kg	15D3	1.36	0.28
Exchangeable Calcium	cmol(+)/kg	15D3	4.67	12.2
Exchangeable Magnesium	cmol(+)/kg	15D3	2.18	6.71
Exchangeable Sodium Percentage	%	15D3	2.9	5.5
Phosphorus Sorption Capacity	mg/kg	9I1 and 9J1	56	156
Aggregate Stability (Emerson)	EAT	-	2(1)	2(1)

Groundwater monitoring bore (34 located in corner paddock) labelled as EPA Point 34 on map titled Env MP-Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 34)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	3.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	27	4.3	90	35.0
Phosphorus (Reactive)	mg/L	<1.0	<1	<0.1	0.37
рН	-	7.57	8.57	7.64	7.8
Conductivity	μS/cm	1090	1230	1130	1370
Phosphorus (total)	mg/L	1	<1	<1	0.15
Nitrogen (total)	mg/L	11	13	17	35
Suspended Solids	mg/L	286	33	21	16

Groundwater monitoring bore (35 located in the laneway north of Rye East paddock) labelled as EPA Point 35 on map titled Env MP-Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 35)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13			
Published		8-May-13			
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	0.2			
Nitrogen (nitrate)	mg/L	<1.0			
Phosphorus (Reactive)	mg/L	<1.0			
рН	-	6.68	DRY	DRY	DRY
Conductivity	μS/cm	1330			
Phosphorus (total)	mg/L	<1			
Nitrogen (total)	mg/L	2			
Suspended Solids	mg/L	150			

Groundwater monitoring bore (36 located between ponds W3 and W4) labelled as EPA Point 36 on map titled Env MP-Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 36)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	35	2.4	36	5.2
Phosphorus (Reactive)	mg/L	<1.0	<0.1	<0.1	0.53
рН	-	8.11	8.70	8.13	8.2
Conductivity	μS/cm	3290	3950	3810	4600
Phosphorus (total)	mg/L	<1	<1	<1	0.24
Nitrogen (total)	mg/L	8	6	9	5.7
Suspended Solids	mg/L	<10	<10	279	47

Groundwater monitoring bore (located on eastern point of effluent pond E2) labelled as EPA Point 38 on map titled Env MP-Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 38)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	160	4.3	160	30.3
Phosphorus (Reactive)	mg/L	<1.0	<0.1	<0.1	0.26
рН	-	6.31	8.19	7.02	6.7
Conductivity	μS/cm	1730	2060	2060	1190
Phosphorus (total)	mg/L	<1	<1	<1	0.14
Nitrogen (total)	mg/L	36	30	32	30.3
Suspended Solids	mg/L	<10	<10	<10	15

Groundwater monitoring bore (40 located on adjoining fence line between Pivot 3A/3B) on map titled Env MP-Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 40)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	35	5.6	68	13.8
Phosphorus (Reactive)	mg/L	<1.0	<0.1	<0.1	0.19
pН	-	7.42	8.38	7.41	7.4
Conductivity	μS/cm	1200	1490	1560	1650
Phosphorus (total)	mg/L	<1.0	<1	<1	0.08
Nitrogen (total)	mg/L	9	7	12	13.8
Suspended Solids	mg/L	23	<10	<10	8

Groundwater monitoring bore (41 below EPA point 14 in paddock Bottom Swamp) labelled as EPA Point 41 on map titled Env MP Location of piezometer MP dated 1st May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 41)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	40	15	39	7.2
Phosphorus (Reactive)	mg/L	<1.0	<0.1	<0.1	0.08
pН	-	6.89	8.05	7.17	7.1
Conductivity	μS/cm	2910	3200	3210	3360
Phosphorus (total)	mg/L	<1	<1	<1	0.06
Nitrogen (total)	mg/L	9	7	17	7.7
Suspended Solids	mg/L	19	39	897	29

Groundwater monitoring bore (42 located in laneway between Pivot 1 and effluent pond E2) labelled as EPA Point 42 on map titled Env MP-Location of piezometer MP dated 1<sup>st</sup> May 2007. See Fig 3.

### **GROUNDWATER ANALYSIS RESULTS (EPA POINT 42)**

Sampled		12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	40	23	6.5	0.7
Phosphorus (Reactive)	mg/L	<1.0	<0.1	<0.1	0.07
рН	-	6.62	7.96	6.92	6.9
Conductivity	μS/cm	2560	2910	2570	2870
Phosphorus (total)	mg/L	<1	<1	<1	0.06
Nitrogen (total)	mg/L	10	3	2	1.9
Suspended Solids	mg/L	10	11	1220	93

The following tables are a summary of the analysis results of the soil quality in the utilisation areas identified as the 'solid utilisation areas as identified on drawing No 19045-05 as quoted in the consent conditions' on map titled "Map 1 - Rangers Valley Cattle Station" submitted with a letter to the EPA on 25 October 2006 (EPA Point 43).

Monitoring has been undertaken at Special Frequency 7, in accordance with the frequency required in accordance with Section M2 of Environmental Protection Licence No. 3864.

#### SOIL ANALYSIS RESULTS (BEARDY)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.48	7.70	
Nitrogen (Total)	mg/kg	1160	-	
Nitrogen (Nitrate)	mg/kg	4	3	
Phosphorous (Colwell)	mg/kg	55	1	
Organic Carbon	%	2.1	0.5	
Conductivity	μS/cm	0.06	0.06	
Chloride	mg/kg	7	26	
Cation Exchange Capacity	cmol(+)/kg	4.96	17.4	
Exchangeable Sodium	cmol(+)/kg	0.12	0.68	
Exchangeable Potassium	cmol(+)/kg	0.61	0.27	
Exchangeable Calcium	cmol(+)/kg	2.95	10.2	
Exchangeable Magnesium	cmol(+)/kg	1.28	6.32	
Exchangeable Sodium Percent	%	2.4	3.9	
Phosphorus Sorption Capacity	PSC mg/kg	40	159	
Aggregate Stability (Emerson)	-	2(1)	2(1)	

## SOIL ANALYSIS RESULTS (BOTTOM GRANTS)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
pH	-	7.21	7.42	
Nitrogen (Total)	mg/kg	1390	-	
Nitrogen (Nitrate)	mg/kg	5	-1	
Phosphorous (Colwell)	mg/kg	163	2	
Organic Carbon	%	2.6	0.8	
Conductivity	μS/cm	0.07	0.08	
Chloride	mg/kg	6	30	
Cation Exchange Capacity	cmol(+)/kg	8.01	15.5	
Exchangeable Sodium	cmol(+)/kg	0.09	0.79	
Exchangeable Potassium	cmol(+)/kg	0.74	0.20	
Exchangeable Calcium	cmol(+)/kg	4.94	9.66	
Exchangeable Magnesium	cmol(+)/kg	2.24	4.86	
Exchangeable Sodium Percent	%	1.1	5.1	
Phosphorus Sorption Capacity	PSC mg/kg	15	162	
Aggregate Stability (Emerson)	-	2(1)	2(1)	

## SOIL ANALYSIS RESULTS (MIDDLE OAKS)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.21	6.67	
Nitrogen (Total)	mg/kg	823	-	
Nitrogen (Nitrate)	mg/kg	2	-1	
Phosphorous (Colwell)	mg/kg	95	2	
Organic Carbon	%	1.7	0.4	
Conductivity	μS/cm	0.06	0.12	
Chloride	mg/kg	10	73	
Cation Exchange Capacity	cmol(+)/kg	6.32	12.9	
Exchangeable Sodium	cmol(+)/kg	0.21	1.98	
Exchangeable Potassium	cmol(+)/kg	0.54	0.17	
Exchangeable Calcium	cmol(+)/kg	4.29	7.82	
Exchangeable Magnesium	cmol(+)/kg	1.29	2.92	
Exchangeable Sodium Percent	%	3.3	15.3	
Phosphorus Sorption Capacity	PSC mg/kg	42	132	
Aggregate Stability (Emerson)	-	2(1)	1	

## SOIL ANALYSIS RESULTS (OLD 2)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.22	6.93	
Nitrogen (Total)	mg/kg	1530	-	
Nitrogen (Nitrate)	mg/kg	4	3	
Phosphorous (Colwell)	mg/kg	95	1	
Organic Carbon	%	2.8	0.8	
Conductivity	μS/cm	0.05	0.05	
Chloride	mg/kg	4	18	
Cation Exchange Capacity	cmol(+)/kg	6.16	17.2	
Exchangeable Sodium	cmol(+)/kg	0.10	0.40	
Exchangeable Potassium	cmol(+)/kg	0.42	0.28	
Exchangeable Calcium	cmol(+)/kg	4.12	11.2	
Exchangeable Magnesium	cmol(+)/kg	1.52	5.33	
Exchangeable Sodium Percent	%	1.6	2.3	
Phosphorus Sorption Capacity	PSC mg/kg	28	170	
Aggregate Stability (Emerson)	-	2(1)	2(1)	

# SOIL ANALYSIS RESULTS (OLD 3)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
pH	-	7.16	6.98	
Nitrogen (Total)	mg/kg	986	N.A.	
Nitrogen (Nitrate)	mg/kg	11	6	
Phosphorous (Colwell)	mg/kg	27	2	
Organic Carbon	%	1.2	0.8	
Conductivity	μS/cm	μS/cm 0.06		
Chloride	mg/kg	4	4	
Cation Exchange Capacity	cmol(+)/kg	8.26	16.3	
Exchangeable Sodium	cmol(+)/kg	0.09	0.40	
Exchangeable Potassium	cmol(+)/kg	0.21	0.20	
Exchangeable Calcium	cmol(+)/kg	6.17	11.5	
Exchangeable Magnesium	cmol(+)/kg	1.78	4.23	
Exchangeable Sodium Percent	%	1.1	2.4	
Phosphorus Sorption Capacity	PSC mg/kg	111	168	
Aggregate Stability (Emerson)	-	3(1)	2(1)	

# SOIL ANALYSIS RESULTS (OLD 4)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.28	8.88	
Nitrogen (Total)	mg/kg	744	-	
Nitrogen (Nitrate)	mg/kg	6	-1	
Phosphorous (Colwell)	mg/kg	102	2	
Organic Carbon	%	1.5	0.7	
Conductivity	μS/cm	0.04	0.09	
Chloride	mg/kg	12	1	
Cation Exchange Capacity	cmol(+)/kg	6.82	19.7	
Exchangeable Sodium	cmol(+)/kg	0.29	3.55	
Exchangeable Potassium	cmol(+)/kg	0.25	0.20	
Exchangeable Calcium	cmol(+)/kg	4.36	9.26	
Exchangeable Magnesium	cmol(+)/kg	1.92	6.73	
Exchangeable Sodium Percent	%	4.2	18.0	
Phosphorus Sorption Capacity	PSC mg/kg	75	124	
Aggregate Stability (Emerson)	-	2(1)	1	

# SOIL ANALYSIS RESULTS (PINES)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
pH	-	6.20	7.61	
Nitrogen (Total)	mg/kg	876	-	
Nitrogen (Nitrate)	mg/kg	15	5	
Phosphorous (Colwell)	mg/kg	53	6	
Organic Carbon	%	1.5	0.5	
Conductivity	μS/cm	0.05	0.04	
Chloride	mg/kg	5	3	
Cation Exchange Capacity	cmol(+)/kg	6.85	10.6	
Exchangeable Sodium	cmol(+)/kg	0.15	0.37	
Exchangeable Potassium	cmol(+)/kg	0.17	0.21	
Exchangeable Calcium	cmol(+)/kg	4.84	6.84	
Exchangeable Magnesium	cmol(+)/kg	1.68	3.17	
Exchangeable Sodium Percent	%	2.2	3.5	
Phosphorus Sorption Capacity	PSC mg/kg	45	101	
Aggregate Stability (Emerson)	-	2(1)	2(1)	

# SOIL ANALYSIS RESULTS (PIVOT 2A)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.11	7.31	
Nitrogen (Total)	mg/kg	730	-	
Nitrogen (Nitrate)	mg/kg	24	10	
Phosphorous (Colwell)	mg/kg	127	3	
Organic Carbon	%	1.5	1.2	
Conductivity	μS/cm	0.06	0.07	
Chloride	mg/kg	1	1	
Cation Exchange Capacity	cmol(+)/kg	5.29	16.1	
Exchangeable Sodium	cmol(+)/kg	0.06	0.49	
Exchangeable Potassium	cmol(+)/kg	0.26	0.28	
Exchangeable Calcium	cmol(+)/kg	3.87	10.3	
Exchangeable Magnesium	cmol(+)/kg	1.11	4.99	
Exchangeable Sodium Percent	%	1.2	3.0	
Phosphorus Sorption Capacity	PSC mg/kg	66	160	
Aggregate Stability (Emerson)	-	3(2)	2(1)	

# SOIL ANALYSIS RESULTS (SUGARLOAF WEST)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
pH	-	6.31	6.75	
Nitrogen (Total)	mg/kg	1060	-	
Nitrogen (Nitrate)	mg/kg	13	38	
Phosphorous (Colwell)	mg/kg	123	2	
Organic Carbon	%	1.7	0.8	
Conductivity	μS/cm	0.06	0.14	
Chloride	mg/kg	1	27	
Cation Exchange Capacity	cmol(+)/kg	6.58	19.6	
Exchangeable Sodium	cmol(+)/kg	0.08	0.55	
Exchangeable Potassium	cmol(+)/kg	0.54	0.32	
Exchangeable Calcium	cmol(+)/kg	4.35	12.7	
Exchangeable Magnesium	cmol(+)/kg	1.62	6.01	
Exchangeable Sodium Percent	%	1.1	2.8	
Phosphorus Sorption Capacity	PSC mg/kg	18	158	
Aggregate Stability (Emerson)	-	3(3)	5	

# SOIL ANALYSIS RESULTS (SUGARLOAF EAST)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	5.52	7.02	
Nitrogen (Total)	mg/kg	655	-	
Nitrogen (Nitrate)	mg/kg	59	7	
Phosphorous (Colwell)	mg/kg	81	2	
Organic Carbon	%	0.8	0.6	
Conductivity	μS/cm	0.15	0.08	
Chloride	mg/kg	4	14	
Cation Exchange Capacity	cmol(+)/kg	4.36	15.0	
Exchangeable Sodium	cmol(+)/kg	0.10	0.31	
Exchangeable Potassium	cmol(+)/kg	0.20	0.32	
Exchangeable Calcium	cmol(+)/kg	3.08	9.96	
Exchangeable Magnesium	cmol(+)/kg	0.98	4.36	
Exchangeable Sodium Percent	%	2.4	2.0	
Phosphorus Sorption Capacity	PSC mg/kg	23	152	
Aggregate Stability (Emerson)	-	3(2)	3(1)	

# SOIL ANALYSIS RESULTS (TOP SWAMP)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	7.13	7.07	
Nitrogen (Total)	mg/kg	1340	-	
Nitrogen (Nitrate)	mg/kg	23	7	
Phosphorous (Colwell)	mg/kg	215	3	
Organic Carbon	%	2.3	1.1	
Conductivity	μS/cm	0.13	0.12	
Chloride	mg/kg	35	69	
Cation Exchange Capacity	cmol(+)/kg	11.1	14.0	
Exchangeable Sodium	cmol(+)/kg	0.15	0.87	
Exchangeable Potassium	cmol(+)/kg	1.06	0.18	
Exchangeable Calcium	cmol(+)/kg	6.69	8.26	
Exchangeable Magnesium	cmol(+)/kg	3.23	4.71	
Exchangeable Sodium Percent	%	1.3	6.2	
Phosphorus Sorption Capacity	PSC mg/kg	25	158	
Aggregate Stability (Emerson)	-	3(3)	2(1)	

# SOIL ANALYSIS RESULTS (WASHPOOL ROAD)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
pH	-	6.73	7.02	
Nitrogen (Total)	mg/kg	845	-	
Nitrogen (Nitrate)	mg/kg	3	2	
Phosphorous (Colwell)	mg/kg	153	1	
Organic Carbon	%	1.7	0.6	
Conductivity	μS/cm	0.05	0.07	
Chloride	mg/kg	5	21	
Cation Exchange Capacity	cmol(+)/kg	4.20	15.5	
Exchangeable Sodium	cmol(+)/kg	0.09	0.36	
Exchangeable Potassium	cmol(+)/kg	0.43	0.26	
Exchangeable Calcium	cmol(+)/kg	2.42	10.3	
Exchangeable Magnesium	cmol(+)/kg	1.27	4.66	
Exchangeable Sodium Percent	%	2.1	2.3	
Phosphorus Sorption Capacity	PSC mg/kg	14	163	
Aggregate Stability (Emerson)	-	3(3)	2(1)	

# SOIL ANALYSIS RESULTS (WASHPOOL RIVER)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	6.99	7.02	
Nitrogen (Total)	mg/kg	1230	-	
Nitrogen (Nitrate)	mg/kg	6	-1	
Phosphorous (Colwell)	mg/kg	143	7	
Organic Carbon	%	2.4	0.5	
Conductivity	μS/cm	0.05	0.04	
Chloride	mg/kg	5	12	
Cation Exchange Capacity	cmol(+)/kg	4.10	2.07	
Exchangeable Sodium	cmol(+)/kg	0.06	0.12	
Exchangeable Potassium	cmol(+)/kg	0.43	0.36	
Exchangeable Calcium	cmol(+)/kg	2.50	1.10	
Exchangeable Magnesium	cmol(+)/kg	1.12	0.50	
Exchangeable Sodium Percent	%	1.5	5.6	
Phosphorus Sorption Capacity	PSC mg/kg	18	66	
Aggregate Stability (Emerson)	-	3(2)	2(2)	

# SOIL ANALYSIS RESULTS (RIVER)

Parameter	Unit	Annual Return 2014 - 2015		
		0-30 cm	60-90 cm	
рН	-	8.36	5.77	
Nitrogen (Total)	mg/kg	962	618	
Nitrogen (Nitrate)	mg/kg	6	2	
Phosphorous (Colwell)	mg/kg	5	2	
Organic Carbon	%	2.0	0.7	
Conductivity	μS/cm	0.10	80.0	
Chloride	mg/kg	27	13	
Cation Exchange Capacity	cmol(+)/kg	16.5	7.7	
Exchangeable Sodium	cmol(+)/kg	1.34	0.67	
Exchangeable Potassium	cmol(+)/kg	0.16	0.10	
Exchangeable Calcium	cmol(+)/kg	8.78	2.72	
Exchangeable Magnesium	cmol(+)/kg	6.22	4.21	
Exchangeable Sodium Percent	%	8.1	8.7	
Phosphorus Sorption Capacity	PSC mg/kg	117	66	
Aggregate Stability (Emerson)	-	2(3)	2(2)	

Groundwater monitoring bore (44 located in the north eastern grassed area of the paddock known as Old 2) labelled as EPA point 44 on map titled Env MP-Location of Peizometer MP dated 1st May 2007. See Fig 3 - 250832A1/10.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 44)**

Sampled		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		23-Nov-12	26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	0.2	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	4.3	4.4	23	4.4	0.7
Phosphorus (Reactive)	mg/L	1.0	<1.0	<0.1	<0.1	0.21
pH	-	7.15	7.04	8.44	7.30	7.3
Conductivity	μS/cm	582	574	136	531	614
Phosphorus (total)	mg/L	<1	<1.0	<1	<1	0.12
Nitrogen (total)	mg/L	2	3	2	2	0.7
Suspended Solids	mg/L	16	17	15	52	18

Groundwater monitoring bore (45 located on eastern boundary of the paddock known as "Donnellys Elect" labelled as EPA point 45 on map titled Env MP location of Piezometer MP dated 1st May 2007. See Fig 3.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 45)**

Sampled		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		23-Nov-12	26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	15	22	2.7	15	2.8
Phosphorus (Reactive)	mg/L	<1.0	<1.0	<0.1	<0.1	0.06
рН	-	7.15	7.24	8.23	7.23	7.2
Conductivity	μS/cm	335	332	347	322	379
Phosphorus (total)	mg/L	<1	<1	<1	<1	0.04
Nitrogen (total)	mg/L	4	4	3	4	2.8
Suspended Solids	mg/L	13	<10	<10	23	<2

Groundwater monitoring bore (46 located in paddock known as "Oaks Road") labelled as EPA point 46 on map Titled Env MP-location of Piezometer MP dated 1<sup>st</sup> May 2007. See Fig 3.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 46)**

Sampled Obtained			12-Apr-13	8-Apr-14 11-Apr-14	29-Oct-14 20-Jan-15	30-Apr-15 1-May-15
			26-Apr-13			
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	12	18	6.7	28	6.1
Phosphorus (Reactive)	mg/L	1.4	<1.0	<0.1	<0.1	0.08
pH	-	7.53	7.52	8.36	7.64	7.6
Conductivity	μS/cm	1010	990	1010	1240	1400
Phosphorus (total)	mg/L	<1	<1	<1	<1	0.07
Nitrogen (total)	mg/L	3	6	4	7	6.5
Suspended Solids	mg/L	12	22	38	20	38

Groundwater monitoring bore 47 located in paddock known as "Horse" labelled as EPA point 47 on map Titled Env MP-location of Piezometer MP dated 1<sup>st</sup> May 2007. See Fig 3.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 47)**

Sampled		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
Obtained		DRY	DRY	DRY	DRY	
Published						
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L					
Nitrogen (nitrate)	mg/L					
Phosphorus (Reactive)	mg/L					
рН	-	DRY	DRY	DRY	DRY	DRY
Conductivity	μS/cm					
Phosphorus (total)	mg/L					
Nitrogen (total)	mg/L					
Suspended Solids	mg/L					

Groundwater monitoring bore 53 located west of Terminal Pond 1 in the paddock known as spillway labelled as EPA point 53 on map Titled Env MP-location of Piezometer MP dated 1st May 2007. See Fig 3. 250832A1/10.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 53)**

Sampled Obtained		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
		23-Nov-12	26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15 14-May	
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	<1.0	<1.0	4.9	3.0	0.5
Phosphorus (Reactive)	mg/L	1.0	<1.0	<0.1	<0.1	0.05
pH	-	7.38	7.35	8.40	7.48	7.5
Conductivity	μS/cm	536	479	539	501	583
Phosphorus (total)	mg/L	<1	<1	<1	<1	0.05
Nitrogen (total)	mg/L	1	<1	<1	2	0.5
Suspended Solids	mg/L	<10	<10	<10	<10	8

Groundwater monitoring bore 54 located north of Terminal Pond Two in the paddock known as Pivot 2b labelled as EPA point 54 on map titled Env MP location of Piezometer MP dated 1st May 2007. See Fig 3. 250832A1/10.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 54)**

Sampled Obtained		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
		23-Nov-12	26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15 14-May	
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	22	27	4.3	27	4.6
Phosphorus (Reactive)	mg/L	1.3	<1.0	<0.1	<0.1	0.22
рН	-	6.85	6.82	8.11	6.89	6.9
Conductivity	μS/cm	480	412	459	505	572
Phosphorus (total)	mg/L	<1	<1	<1	<1	0.14
Nitrogen (total)	mg/L	5	5	5	10	5.2
Suspended Solids	mg/L	30	75	<10	24	43

Groundwater monitoring bore 55 located south of Terminal Pond Three in the paddock known as "Wallys" labelled as EPA point 55 on map titled Env MP-location of Piezometer MP dated 1st May 2007. See Fig 3. 250832A1/10.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 55)**

Sampled Obtained		25-Oct-12	12-Apr-13 26-Apr-13	8-Apr-14 11-Apr-14	29-Oct-14 20-Jan-15	30-Apr-15 1-May-15
		23-Nov-12				
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15	14-May-15
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	<0.1	<0.1	<0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	<1.0	<1.0	6.6	2.3	0.1
Phosphorus (Reactive)	mg/L	1.0	<1.0	<0.1	<0.1	0.17
рН	-	7.28	7.25	8.33	7.42	7.5
Conductivity	μS/cm	469	452	428	439	483
Phosphorus (total)	mg/L	<1	<1.0	<1	<1	0.1
Nitrogen (total)	mg/L	1	<1	<1	<1	<0.3
Suspended Solids	mg/L	<10	14	93	418	19

Groundwater monitoring bore (56 located south of the northern holding pond N1 in the paddock known as Irrigation 1) labelled as EPA point 56 on map titled Env MP dated 1st May 2007. See Fig 3. 250832A1/10.

## **GROUNDWATER ANALYSIS RESULTS (EPA POINT 56)**

Sampled Obtained		25-Oct-12	12-Apr-13	8-Apr-14	29-Oct-14	30-Apr-15
		23-Nov-12	26-Apr-13	11-Apr-14	20-Jan-15	1-May-15
Published		30-Nov-12	8-May-13	19-May-14	21-Jan-15 14-May-	
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (ammonia)	mg/L	0.2	<0.1	0.1	<0.1	< 0.05
Nitrogen (nitrate)	mg/L	17	22	3.0	44	7.7
Phosphorus (Reactive)	mg/L	<1.0	<1.0	<0.1	<0.1	0.04
рН	-	7.11	7.48	8.32	7.23	7.1
Conductivity	μS/cm	835	825	1110	1130	1340
Phosphorus (total)	mg/L	<1	<1.0	<1	<1	0.04
Nitrogen (total)	mg/L	6	5	9	12	8.1
Suspended Solids	mg/L	35	11	25	142	13

Effluent holding pond (known as N1) irrigation pump labelled as EPA point 57 on map titled Env MP- Location of Effluent MP dated 1st May 2007. See Fig 2 - 250832A1/10.

# **EFFLUENT ANALYSIS RESULTS (EPA POINT 57)**

Sampled		9-Dec-14	2-Mar-2015	15-Jun-15	15-Sept-15	8-Dec-15
Obtained	Obtained		12-May-2015	29-Jun-15	12-Oct-15	23-Dec-15
Published		5-Feb-15	12-May-2015	13-Jul-15	20-Oct-15	20-Jan-16
Pollutant	Unit of measure	Result	Result	Result	Result	Result
Nitrogen (Ammonia)	mg/L	0.2	3	35	27	<0.1
Chloride	mg/L	280	290	270	270	300
Nitrate	mg/L	5.3	<1.0	<1.0	4.9	7.1
Phosphorus (Reactive)	mg/L	3.3	23	33	33	23
pН	-	7.99	8.00	8.00	7.80	8.10
Conductivity	μS/cm	1750	2200	2300	2300	2100
SAR	-	4	3	2	2	3
Phosphorus (Total)	mg/L	4	28	44	37	29
Nitrogen (Total)	mg/L	13	23	66	69	15
TKN	mg/L	12	19	65	59	13
Suspended Solids	mg/L	144	110	190	260	100
Calcium	mg/L	38	59	60	59	36
Potassium	mg/L	217	320	340	310	340
Magnesium	mg/L	49	58	54	52	52
Sodium	mg/L	150	140	110	100	110

<sup>\*</sup>Collected during pond overflow event.